The
-----

AK

Notice of Allowability	Application No.	Applicant(s)	
	10/823,303	WYATT, CHRISTOPHER A.	
	Examiner	Art Unit	
	Mohammad Ali	3744	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. This communication is responsive to the amendment filed 08/03/05.			
2. The allowed claim(s) is/are <u>1-3</u> .			
3. The drawings filed on <u>03 August 2005</u> are accepted by the Examiner.			
<ul> <li>4.</li></ul>			
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).  7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
Attachment(s)  1. Notice of References Cited (PTO-892)  2. Notice of Draftperson's Patent Drawing Review (PTO-948)  3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date  4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview Summary Paper No./Mail Dat 8), 7. ☐ Examiner's Amenda	e	

## Response to Amendment

The amendment filed on 08/03/05 is found sufficient to overcome the prior art reference.

## Allowable Subject Matter

The following is an examiner's statement of reasons for allowance: 1, 2 and 3 are allowable because the prior art of record fails to disclose or suggest or teach the recited light assembly also having a second switch located adjacent to the exterior panels and to activate the panels to illuminate interior and exterior of the cooler (see claim 1); light assembly including an interior illumination member having a switch operable to activate and inactivate the member while the lid is in the opened orientation and closed orientation (see amended claim 2); an exterior illumination member and a second switch to be pressed by a user to inactivate both members and to activate both members to illuminate interior and exterior of the cooler, the interior and the exterior members being located in an aperture extending through the front wall (see claim 3).

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mohammad Ali whose telephone number is (571) 272-4806. The examiner can normally be reached on Monday to Friday.

Art Unit: 3744

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Cheryl Tyler can be reached on (571) 272-4834. The fax phone number for the organization where this application or proceeding is assigned is 571-273-4834

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

///d . // // // // Mohammad M. Ali August 18, 2005